

## CLAIMS

1. An agent for treating mitochondrial disease, comprising L-arginine and 0.2 to 20 parts by weight of L-ascorbic acid per 1 part by weight of L-arginine.
2. The agent for treating mitochondrial disease according to claim 1, wherein L-ascorbic acid is contained in an amount of 0.2 to 6 parts by weight per 1 part by weight of L-arginine.
3. The agent for treating mitochondrial disease according to claim 2, wherein L-ascorbic acid is contained in an amount of 0.2 to 0.25 part by weight per 1 part by weight of L-arginine.
4. An agent for treating mitochondrial disease, comprising L-arginine, at least one selected from the group consisting of ribonucleic acids, ribonucleotides and ribonucleosides, and 0.2 to 20 parts by weight of L-ascorbic acid per 1 part by weight of L-arginine.
5. The agent for treating mitochondrial disease according to claim 4, wherein L-ascorbic acid is contained in an amount of 0.2 to 6 parts by weight per 1 part by weight of L-arginine.
6. The agent for treating mitochondrial disease according to claim 5, wherein L-ascorbic acid is contained in an amount of 0.2 to 0.25 part by weight per 1 part by weight of L-arginine.
7. An agent for treating mitochondrial disease, comprising L-arginine and 0.2 to 20 parts by weight of L-ascorbic acid per 1 part by weight of L-arginine and containing no cysteine, L-arginine and L-ascorbic acid being dissolved in a pharmaceutically acceptable solution.
8. The agent for treating mitochondrial disease according to claim 7, wherein L-ascorbic acid is contained in an amount of 0.2 to 6 parts by weight per 1 part by weight of L-arginine.

9. The agent for treating mitochondrial disease according to claim 8, wherein L-ascorbic acid is contained in an amount of 0.2 to 0.25 part by weight per 1 part by weight of L-arginine.